



**CONTINENTAL LAND
RESOURCES**

E O I 201704-838

May 4, 2016

United States Department of the Interior
Bureau of Land Management, New Mexico State Office
Attn: Gloria Baca, Supervisor
Branch of Adjudication (NM922)
P.O. Box 27115
Santa Fe, NM 87502-0115

Re: Expression of Interest

Dear Ms. Baca:

Continental Land Resources, LLC would like to nominate the following tract of land for the next available BLM Oil and Gas Lease sale which is tentatively scheduled for April 19, 2017:

All that unleased part of Lots 1 & 2, including accretion and riparian rights of Section 7-9N-23W, Beckham County, Oklahoma (64.53 acres, more or less)

Please see specific description on plat.

All necessary plats, imagery and legal descriptions are included as attachments.

Thank you for your assistance and please do not hesitate to contact me should you have any questions or comments.

Sincerely,

Tyler C. Thompson
Continental Land Resources, LLC
Office: 405.513.5537
tyler.thompson@continentalland.com



U.S. DEPT. OF THE INTERIOR
Bureau of Land Management
P.O. Box 27115
Santa Fe, NM 87502-7115

April 29, 2016

Attn: Stephen Beyerlein

RE: Section 7, T9N-R23W, Beckham County, Oklahoma

OKIM Beckham Co
T9N-R23W
Sec 7
EOI 201704-838

Stephen:

A dependent resurvey has been made at the request of Specketer Energy, LLC to determine the accretion and riparian acreage, for oil and gas leasing, to the Upland Lots along the North Fork of the Red River as it traversed through Section 7, T9N-R23W, Beckham County, Oklahoma.

The General Land Office notes and plats were obtained from the Bureau of Land Management web site. Corner reference records were obtained from the Department of Libraries, Archives Division, in Oklahoma City, Oklahoma.

This survey was conducted under my supervision, T. Wayne Fisch, Oklahoma Licensed Professional Land Surveyor No. 1378, using Trimble GPS receivers to traverse and coordinate found, recovered or restored land corners in the area. OPUS observations were used within the area as base control. Present banks and the medial line of the river have been established by interpretation of the aerial photography flown in April 23, 2016, furnished by Aerial Oklahoma, Oklahoma City, Oklahoma. The river banks were digitized by use of electronic computer. Computations were made for the riparian lands, descriptions prepared, plats drawn and provided to Specketer Energy, LLC by Topographic Land Surveyors of Oklahoma.

A search was made to locate evidence of the original corners. The following is a description of the evidence and method used to restore the land corners in Section 7, T9N-R23W, Beckham County, Oklahoma.

Northwest corner of Section 7: Obliterated Corner

This corner has been perpetuated by an Iron Rod with cap which fit surrounding evidence and was filed of record at the Oklahoma Department of Libraries, Archive Department and was held as the corner.

West 1/16th Corner between Sections 6 and 7: Lost Corner

An Iron Rod with Aluminum cap was set at this corner in accordance with the BLM Manual of Surveying (2009).

1874 Meander corner on the 1874 Left Bank between Sections 6 and 7: Lost Corner

An Iron Rod with Aluminum cap was set at this corner in accordance with the BLM Manual of Surveying (2009).

North Quarter corner of Section 7: Obliterated Corner

This corner has been perpetuated by an Iron Rod which fit surrounding evidence and was filed of record at the Oklahoma Department of Libraries, Archive Department and was held as the corner.

Northeast corner of Section 7: Obliterated Corner

This corner has been perpetuated by an Iron Rod with cap which fit surrounding evidence and was filed of record at the Oklahoma Department of Libraries, Archive Department and was held as the corner.

**METES AND BOUNDS DESCRIPTION
OF THE ACCRETION AND RIPARIAN ACREAGE
TO LOT 1, SECTION 7, T9N-R23W,
NOT COVERED BY EXISTING BLM LEASE OKNM-121500,
LOCATED ALONG THE NORTH FORK OF THE RED RIVER,
BECKHAM COUNTY, OKLAHOMA
(Bearings and Distances are Geodetic)**

Commencing at an Iron Rod with cap for the West sixteenth corner between Sections 6 and 7, T9N-R23W of Indian Meridian, Beckham County, Oklahoma;

Thence South 00°05'11" West a distance of 783.48 feet along the East line of Lot 1 of said Section 7 to an Iron Rod with cap for the Southeast corner of said Lot 1 for the true POINT OF BEGINNING.

Thence South 48°30'24" East a distance of 910.15 feet to a proportional point on the 2016 left bank;

Thence North 69°42'48" East a distance of 85.48 feet to a point on the 2016 medial line;

Thence along the 2016 medial line the following courses and distances:

South 20°17'12" East a distance of 60.44 feet, South 08°13'44" East a distance of 187.03 feet, South 05°52'03" East a distance of 102.93 feet, South 07°30'10" West a distance of 66.47 feet, South 19°26'57" West a distance of 117.39 feet, South 22°46'08" West a distance of 136.32 feet, South 22°23'46" West a distance of 167.96 feet, South 32°31'25" West a distance of 125.25 feet, South 45°34'22" West a distance of 213.21 feet, South 50°37'49" West a distance of 44.32 feet, South 56°22'04" West a distance of 45.03 feet, South 53°19'14" West a distance of 86.52 feet, South 54°32'15" West a distance of 88.51 feet, South 65°42'34" West a distance of 98.66 feet, South 69°43'00" West a distance of 140.42 feet, South 75°01'47" West a distance of 72.58 feet, South 85°46'40" West a distance of 98.74 feet, South 63°05'53" West a distance of 199.25 feet, South 84°20'33" West a distance of 96.78 feet, North 86°19'27" West a distance of 91.75 feet, North 79°28'18" West a distance of 46.39 feet, North 60°45'19" West a distance of 92.23 feet, North 53°31'41" West a distance of 46.47 feet, North 46°49'39" West a distance of 102.85 feet, North 62°31'54" West a distance of 60.42 feet, North 37°42'01" West a distance of 94.50 feet, North 32°31'54" West a distance of 304.45 feet, North 32°59'27" West a distance of 42.76 feet, North 09°23'24" West a distance of 90.79 feet, North 07°28'14" East a distance of 54.64 feet, North 31°14'33" East a distance of 85.85 feet, North 48°07'32" East a distance of 196.68 feet, North 35°32'03" East a distance of 159.63 feet, North 30°04'32" East a distance of 76.78 feet, North 13°12'10" East a distance of 27.54 feet, North 28°42'52" East a distance of 28.13 feet, North 24°55'48" East a distance of 32.11 feet, North 08°48'57" East a distance of 110.74 feet, North 12°53'45" East a distance of 45.80 feet, North 04°14'46" East a distance of 112.10 feet, North 34°05'30" East a distance of 33.97 feet, North 05°45'13" West a distance of 113.22 feet, North 03°25'57" West a distance of 102.57 feet, North 08°26'31" West a distance of 49.91 feet, North 26°51'44" West a distance of 88.36 feet, North 22°26'48" West a distance of 104.68 feet, North 41°12'00" West a distance of 93.95 feet, North 24°26'40" West a distance of 33.36 feet, North 44°35'37" West a distance of 43.73 feet, North 46°32'32" West a distance of 77.49 feet to the intersection of the 2016 medial line and the adjusted 1874 left bank, also being the Southerly line of said Lot 1;

Thence along the adjusted 1874 left bank, also being the Southerly line of said Lot 1, South 84°06'39" East a distance of 939.70 feet to the POINT OF BEGINNING, and containing 61.05 acres of land more or less.

- NOTE -

The above metes and bounds was configured using a survey made on the ground to locate the Section corners.

The lots were established using the General Land Office Plat and the ancient banks were closed using the Compass rule of closure as per instructions given in the Bureau of Land Management Survey Manual (2009).

South 38°31'45" East a distance of 153.41 feet;
South 28°36'41" East a distance of 66.19 feet;
South 20°17'12" East a distance of 96.63 feet to a point;

Thence South 69°42'48" West a distance of 85.48 feet to a proportional point on the 2016 left bank;

Thence North 48°30'24" West a distance of 910.15 feet to the POINT OF BEGINNING, and containing 3.23 acres of land more or less.

For a total of 3.48 acres of land more or less.

- NOTE -

The above metes and bounds was configured using a survey made on the ground to locate the Section corners.

The lots were established using the General Land Office Plat and the ancient banks were closed using the Compass rule of closure as per instructions given in the Bureau of Land Management Survey Manual (2009).