

BLM – IDAHO SPECIAL STATUS ANIMAL SPECIES: 2014

Type 1 – Includes species listed under the Endangered Species Act (ESA) as Endangered (E) or Threatened (T), Experimental Essential (XE) populations, and designated Critical Habitat (CH).

Note: Periodically confirm E, T, XE and CH status on the U.S. Fish and Wildlife Service (FWS) and NOAA Fisheries websites below. Critical Habitat (CH) is noted in this table as a reminder for consideration during planning and implementation efforts.

FWS Idaho Fish and Wildlife Office: <http://www.fws.gov/idaho/agencies.htm>

Additional, more detailed information relative to FWS can be found at:

http://ecos.fws.gov/tess_public/pub/stateOccurrenceIndividual.jsp?state=ID

NOAA Fisheries:

http://www.westcoast.fisheries.noaa.gov/protected_species/salmon_steelhead/salmon_and_steelhead_listings/salmon_and_steelhead_listings.html.

| Species Name | ESA Status | Boise District | | | | Coeur d'Alene District | | Idaho Fall District | | | | Twin Falls District | | | | |
|---|------------|----------------|----|----|----|------------------------|----|---------------------|----|----|----|---------------------|----|----|----|--|
| | | BP | BR | FR | OW | CA | CO | CH | PO | SA | US | BU | CM | JA | SH | |
| Amphibian | | | | | | | | | | | | | | | | |
| No Species Identified | | | | | | | | | | | | | | | | |
| Birds | | | | | | | | | | | | | | | | |
| Yellow-billed Cuckoo (<i>Coccyzus americanus</i>) Note: Designation of CH pending | T, PCH | X | | X | | | | X | X | X | X | X | | X | X | |
| Fish | | | | | | | | | | | | | | | | |
| Bull Trout (<i>Salvelinus confluentus</i>) | T, CH | | X | X | | X | X | X | | X | X | | | X | | |
| Chinook Salmon (<i>Oncorhynchus tshawytscha</i>) – Snake River spring/summer runs | T, CH | | | | | | X | X | | X | | | | | | |
| Chinook Salmon (<i>Oncorhynchus tshawytscha</i>) – Snake River fall run | T, CH | | | | | | X | | | | | | | | | |
| Sockeye Salmon (<i>Oncorhynchus nerka</i>) | E, CH | | | | | | X | X | | X | | | | | | |
| Steelhead (<i>Oncorhynchus mykiss</i>) | T, CH | | | | | | X | X | | X | | | | | | |
| White Sturgeon (<i>Acipenser transmontanus</i>) – Kootenai River | E, CH | | | | | X | | | | | | | | | | |

| Species Name | ESA Status | Boise District | | | | Coeur d' Alene District | | Idaho Fall District | | | | Twin Falls District | | | |
|--|------------|----------------|----|----|----|-------------------------|----|---------------------|----|----|----|---------------------|----|----|----|
| | | BP | BR | FR | OW | CA | CO | CH | PO | SA | US | BU | CM | JA | SH |
| Invertebrates | | | | | | | | | | | | | | | |
| Banbury Springs Lanx (<i>Lanx</i> sp.) | E | | | | | | | | | | | | | | X |
| Bliss Rapids Snail (<i>Taylorconcha serpenticola</i>) | T | | X | X | | | | | | | | X | | X | X |
| Bruneau Hot Springsnail (<i>Pyrgulopsis bruneauensis</i>) | E | | X | | | | | | | | | | | X | |
| Snake River Physa (<i>Haitia [Physa] natricina</i>) | E | X | X | X | X | | | | | | | X | | X | X |
| Mammals | | | | | | | | | | | | | | | |
| Canada Lynx (<i>Lynx canadensis</i>) | T, CH | | | | | X | X | X | | X | | | | | X |
| Grizzly Bear (<i>Ursus arctos</i>) | T | | | | | X | | | | | X | | | | |
| Northern Idaho Ground Squirrel (<i>Urocitellus brunneus</i>) [formerly <i>Spermophilus brunneus brunneus</i>] | T | | | X | | | X | | | | | | | | |
| Woodland Caribou (<i>Rangifer tarandus caribou</i>) | E, CH | | | | | X | | | | | | | | | |
| Reptiles | | | | | | | | | | | | | | | |
| No Species Identified | | | | | | | | | | | | | | | |

Type 2 – Idaho BLM Sensitive Species: Includes State Director designated species as well as FWS Candidate Species (C), FWS Proposed species (P), FWS Experimental Nonessential Populations (XN), and species delisted from ESA Threatened or Endangered status within the past 5-years (D).

Note: Periodically review current C, D, P, XN, and proposed critical habitat status on the U.S. Fish and Wildlife Service (FWS) and NOAA Fisheries websites below.

FWS Idaho Fish and Wildlife Office: <http://www.fws.gov/idaho/agencies.htm>

Additional, more detailed information relative to FWS can be found at:

http://ecos.fws.gov/tess_public/pub/stateOccurrenceIndividual.jsp?state=ID

NOAA Fisheries:

http://www.westcoast.fisheries.noaa.gov/protected_species/salmon_steelhead/salmon_and_steelhead_listings/salmon_and_steelhead_listings.html.

| Species Name | FWS Status | Boise District | | | | Coeur d'Alene District | | Idaho Fall District | | | | Twin Falls District | | | |
|---|------------|----------------|----|----|----|------------------------|----|---------------------|----|----|----|---------------------|----|----|----|
| | | BP | BR | FR | OW | CA | CO | CH | PO | SA | US | BU | CM | JA | SH |
| Amphibians | | | | | | | | | | | | | | | |
| Western/Boreal Toad (Western [<i>Anaxyrus boreas</i>] and Eastern [<i>Anaxyrus boreas boreas</i>] sub-groups) | | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Coeur d'Alene Salamander (<i>Plethodon idahoensis</i>) | | | | | | X | X | | | | | | | | |
| Columbia Spotted Frog (<i>Rana luteiventris</i>) – Great Basin Population | C | | X | | X | | | | | | | | | X | |
| Idaho Giant Salamander (<i>Dicamptodon aterrimus</i>) | | | | X | | X | X | | | | | | | | |
| Northern Leopard Frog (<i>Rana pipiens</i>) | | X | X | X | X | X | X | | X | | X | X | X | X | X |
| Woodhouse's Toad (<i>Bufo woodhousii</i>) | | X | X | X | X | | X | | | | | | | | |

| Species Name | FWS Status | Boise District | | | | Coeur d' Alene District | | Idaho Fall District | | | | Twin Falls District | | | |
|--|------------|----------------|----|----|----|-------------------------|----|---------------------|----|----|----|---------------------|----|----|----|
| | | BP | BR | FR | OW | CA | CO | CH | PO | SA | US | BU | CM | JA | SH |
| Birds | | | | | | | | | | | | | | | |
| Bald Eagle (<i>Haliaeetus leucocephalus</i>) | | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Black Swift (<i>Cypseloides niger</i>) | | | | | | X | X | | | | | | | | |
| Black Tern (<i>Chlidonias niger</i>) | | | X | X | X | X | X | | X | | X | X | X | X | X |
| Black-throated Sparrow (<i>Amphispiza bilineata</i>) | | X | X | X | X | | | | X | | X | X | X | X | X |
| Brewer's Sparrow (<i>Spizella breweri</i>) | | X | X | X | X | | X | X | X | X | X | X | X | X | X |
| Burrowing Owl (<i>Athene cunicularia</i>) | | X | X | X | X | | | X | X | X | X | X | X | X | X |
| Cassin's Finch (<i>Carpodacus cassinii</i>) | | | | X | X | X | X | | X | X | X | X | | | X |
| Columbian Sharp-tailed Grouse (<i>Tympanuchus phasianellus columbianus</i>) | | | | X | | | | | X | | X | X | X | X | X |
| Ferruginous Hawk (<i>Buteo regalis</i>) | | X | X | X | X | | | X | X | X | X | X | X | X | X |
| Flammulated Owl (<i>Otus flammeolus</i>) | | | | X | X | X | X | X | X | X | X | X | | | X |
| Golden Eagle (<i>Aquila chrysaetos</i>) | | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Grasshopper Sparrow (<i>Ammodramus savannarum</i>) | | X | X | X | X | | X | | X | | X | X | X | X | X |
| Greater Sage-grouse (<i>Centrocercus urophasianus</i>) | C | X | X | X | X | | | X | X | X | X | X | X | X | X |

| Species Name | FWS Status | Boise District | | | | Coeur d' Alene District | | Idaho Fall District | | | | Twin Falls District | | | |
|--|------------|----------------|----|----|----|-------------------------|----|---------------------|----|----|----|---------------------|----|----|----|
| | | BP | BR | FR | OW | CA | CO | CH | PO | SA | US | BU | CM | JA | SH |
| Green-tailed Towhee (<i>Pipilo chlorurus</i>) | | X | X | X | X | | X | X | X | X | X | X | X | X | X |
| Harlequin Duck (<i>Histrionicus histrionicus</i>) | | | | X | | X | X | | X | X | X | | | | |
| Lewis' Woodpecker (<i>Melanerpes lewis</i>) | | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Loggerhead Shrike (<i>Lanius ludovicianus</i>) | | X | X | X | X | | | X | X | X | X | X | X | X | X |
| Long-billed Curlew (<i>Numenius americanus</i>) | | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Mountain Quail (<i>Oreortyx pictus</i>) | | | | X | | | X | | | | | | | | X |
| Northern Goshawk (<i>Accipiter gentilis</i>) | | X | X | X | X | X | X | X | X | X | X | X | | X | X |
| Olive-sided Flycatcher (<i>Contopus cooperi</i>) | | X | X | X | X | X | X | X | X | X | X | X | | X | X |
| Pinyon Jay (<i>Gymnorhinus cyanocephalus</i>) | | | | | | | | | X | | X | X | | | |
| Sage Sparrow (<i>Amphispiza belli</i>) | | X | X | X | X | | | X | X | X | X | X | X | X | X |
| Sage Thrasher (<i>Oreoscoptes montanus</i>) | | X | X | X | X | | | X | X | X | X | X | X | X | X |
| Short-eared Owl (<i>Asio flammeus</i>) | | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Trumpeter Swan (<i>Cygnus buccinator</i>) | | | X | | X | | | X | X | | X | | | X | X |
| Vaux's Swift (<i>Chaetura vauxi</i>) | | | | | | X | X | | | | | | | | |
| Virginia's Warbler (<i>Vermivora virginiae</i>) | | | | | | | | | X | | X | X | | X | |

| Species Name | FWS Status | Boise District | | | | Coeur d' Alene District | | Idaho Fall District | | | | Twin Falls District | | | |
|---|------------|----------------|----|----|----|-------------------------|----|---------------------|----|----|----|---------------------|----|----|----|
| | | BP | BR | FR | OW | CA | CO | CH | PO | SA | US | BU | CM | JA | SH |
| White-headed Woodpecker (<i>Picoides albolarvatus</i>) | | | | X | X | X | X | | | | | | | | X |
| Willow Flycatcher (<i>Empidonax trailii</i>) | | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Fish | | | | | | | | | | | | | | | |
| Bear Lake Sculpin (<i>Cottus extensus</i>) | | | | | | | | | X | | | | | | |
| Bear Lake Whitefish (<i>Prosopium abyssicola</i>) | | | | | | | | | X | | | | | | |
| Bonneville Cisco (<i>Prosopium gemmifer</i>) | | | | | | | | | X | | | | | | |
| Bonneville Cutthroat Trout (<i>Oncorhynchus clarki utah</i>) | | | | | | | | | X | | | | | | |
| Bonneville Whitefish (<i>Prosopium spilonotus</i>) | | | | | | | | | X | | | | | | |
| Burbot (<i>Lota lota</i>) | | | | | | X | | | | | | | | | |
| Cedar sculpin (<i>Cottus schitsuumsh</i>) | | | | | | X | | | | | | | | | |
| Chinook Salmon (<i>Oncorhynchus tshawytscha</i>) – Clearwater River Basin spring/summer runs | | | | | | | X | | | | | | | | |
| Coho Salmon (<i>Oncorhynchus kisutch</i>) – Lower Snake River and Lower Clearwater River subbasins. | | | | | | | X | | | | | | | | |

| Species Name | FWS Status | Boise District | | | | Coeur d' Alene District | | Idaho Fall District | | | | Twin Falls District | | | |
|--|------------|----------------|----|----|----|-------------------------|----|---------------------|----|----|----|---------------------|----|----|----|
| | | BP | BR | FR | OW | CA | CO | CH | PO | SA | US | BU | CM | JA | SH |
| Northern Leatherside Chub (<i>Lepidomeda copei</i>) | | | | | | | | | X | | | X | | | X |
| Pacific Lamprey (<i>Lampetra tridentata</i>) | | | | | | | X | X | | X | | | | | |
| Redband Trout (<i>Oncorhynchus mykiss gibbsi</i>) | | | X | X | X | X | X | X | | X | | X | | X | X |
| Shoshone Sculpin (<i>Cottus greenei</i>) | | | | | | | | | | | | | | X | X |
| Westslope Cutthroat Trout (<i>Oncorhynchus clarki lewisi</i>) | | | | | | X | X | X | | X | | | | | |
| White Sturgeon (<i>Acipenser transmontanus</i>) - Snake River population above Hells Canyon Complex only | | X | X | X | X | | | | | | | X | | X | X |
| Wood River Sculpin (<i>Cottus leiopomus</i>) | | | | | | | | | | | | | | | X |
| Yellowstone Cutthroat Trout (<i>Oncorhynchus clarki bouvieri</i>) | | | | | | | | | X | | X | X | | | |
| Invertebrates | | | | | | | | | | | | | | | |
| Ashy (Columbia) Pebblesnail (<i>Fluminicola fuscus</i>) | | X | | X | X | | X | | | | | X | | X | X |
| Blind Cave Leiodid Beetle (<i>Glacicavicola bathysciodes</i>) | | | | | | | | | | | X | | X | | X |
| Boulder Pile Mountainsnail (<i>Oreohelix jugalis</i>) | | | | | | | X | | | | | | | | |

| Species Name | FWS Status | Boise District | | | | Coeur d' Alene District | | Idaho Fall District | | | | Twin Falls District | | | | |
|--|------------|----------------|----|----|----|-------------------------|----|---------------------|----|----|----|---------------------|----|----|----|--|
| | | BP | BR | FR | OW | CA | CO | CH | PO | SA | US | BU | CM | JA | SH | |
| Bruneau Dunes Tiger Beetle (<i>Cicindela waynei waynei</i>) | | X | | | | | | | | | | | | | X | |
| California Floater (<i>Anodonta californiensis</i>) | | X | X | X | X | X | X | | X | | X | X | | X | X | |
| Columbia River Tiger Beetle (<i>Cicindela columbica</i>) | | | | | | | X | | | | | | | | | |
| Idaho Banded Mountainsnail (<i>Oreohelix idahoensis idahoensis</i>) | | | | | | | X | | | | | | | | | |
| Idaho Point-headed Grasshopper (<i>Acrolophitus pulchellus</i>) | | | | | | | | X | | | X | | | | | |
| Lava Rock Mountainsnail (<i>Oreohelix waltoni</i>) | | | | | | | X | | | | | | | | | |
| Marbled Disc (<i>Discus marmorensis</i>) | | | | | | | X | | | | | | | | | |
| Shortface Lanx (<i>Fisherola nuttalli</i>) | | X | | | | | X | | | | | X | | X | X | |
| St. Anthony Sand Dunes Tiger Beetle (<i>Cicindela arenicola</i>) | | | | | | | | | X | | X | X | X | | X | |
| Striate Mountainsnail (<i>Oreohelix strigosa goniogyra</i>) | | | | | | X | X | | | | | X | | | | |
| Whorled Mountainsnail (<i>Oreohelix vortex</i>) | | | | | | | X | | | | | | | | | |

| Species Name | FWS Status | Boise District | | | | Coeur d' Alene District | | Idaho Fall District | | | | Twin Falls District | | | |
|--|------------|----------------|----|----|----|-------------------------|----|---------------------|----|----|----|---------------------|----|----|----|
| | | BP | BR | FR | OW | CA | CO | CH | PO | SA | US | BU | CM | JA | SH |
| Mammals | | | | | | | | | | | | | | | |
| Big Brown Bat (<i>Eptesicus fuscus</i>) | | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Bighorn Sheep (<i>Ovis canadensis spp.</i>) | | X | X | X | X | | X | X | | X | X | X | X | X | X |
| California Myotis (<i>Myotis californicus</i>) | | | | | X | | X | | | X | | | | | |
| Canyon Bat (<i>Parastrellus hesperus</i>) – formerly Western Pipistrell | | X | X | X | X | | X | | | | | X | X | X | X |
| Coast Mole (<i>Scapanus orarius schefferi</i>) | | | | X | | | X | | | | | | | | |
| Dark Kangaroo Mouse (<i>Microdipodops megacephalus</i>) | | | | | X | | | | | | | | | | |
| Fisher (<i>Martes pennanti</i>) | | | | X | | X | X | X | | X | X | | | | X |
| Fringed Myotis (<i>Myotis thysanoides</i>) | | | X | X | X | | X | | | | | | | | |
| Gray Wolf (<i>Canis lupus</i>) | D | | | X | | X | X | X | X | X | X | | X | | X |
| Hoary Bat (<i>Lasiurus cinereus</i>) | | | | X | X | X | X | X | X | X | X | X | | X | X |
| Kit Fox (<i>Vulpes macrotis</i>) | | X | X | | X | | | | | | | X | X | X | X |
| Little Brown Bat (<i>Myotis lucifugus</i>) | | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Long-eared Myotis (<i>Myotis evotis</i>) | | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Long-legged Myotis (<i>Myotis volans</i>) | | X | X | X | X | X | X | X | X | X | X | X | X | X | X |

| Species Name | FWS Status | Boise District | | | | Coeur d' Alene District | | Idaho Fall District | | | | Twin Falls District | | | |
|--|------------|----------------|----|----|----|-------------------------|----|---------------------|----|----|----|---------------------|----|----|----|
| | | BP | BR | FR | OW | CA | CO | CH | PO | SA | US | BU | CM | JA | SH |
| Merriam's Ground Squirrel (<i>Uroditellus canus</i>) [formerly <i>Spermophilus canus vigilis</i>] | | | | | X | | | | | | | | | | |
| Pallid Bat (<i>Antrozous pallidus</i>) | | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Piute Ground Squirrel (<i>Uroditellus mollis</i>) [formerly <i>Spermophilus mollis artemisae</i>] | | X | X | X | X | | | X | X | X | X | X | X | X | X |
| Pygmy Rabbit (<i>Brachylagus idahoensis</i>) | | X | X | X | X | | | X | X | X | X | X | X | X | X |
| Silver-haired Bat (<i>Lasionycteris noctivagans</i>) | | X | X | X | X | X | X | X | X | X | X | X | | X | X |
| Southern Idaho Ground Squirrel (<i>Uroditellus endemicus</i>) [formerly <i>Spermophilus brunneus endemicus</i>] | C | | | X | | | | | | | | | | | |
| Spotted Bat (<i>Euderma maculatum</i>) | | | X | X | X | | | | | X | | X | | X | X |
| Townsend's Big-eared Bat (<i>Plecotus [Corynorhinus] townsendii</i>) | | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Western Small-footed Myotis (<i>Myotis ciliolabrum</i>) | | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Wolverine (<i>Gulo gulo luscus</i>) | | | | X | | X | X | X | X | X | X | | | | X |

| Species Name | FWS Status | Boise District | | | | Coeur d' Alene District | | Idaho Fall District | | | | Twin Falls District | | | |
|---|------------|----------------|----|----|----|-------------------------|----|---------------------|----|----|----|---------------------|----|----|----|
| | | BP | BR | FR | OW | CA | CO | CH | PO | SA | US | BU | CM | JA | SH |
| Yuma Myotis (<i>Myotis yumanensis</i>) | | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Reptiles | | | | | | | | | | | | | | | |
| Great Basin Black-collared Lizard (<i>Crotaphytus bicinctores</i>) | | X | X | X | X | | | | | | | | | X | |
| Longnose Snake (<i>Rhinocheilus lecontei</i>) | | X | X | X | X | | | | | | | | | X | |
| Ground Snake (<i>Sonora semiannulata</i>) | | X | X | X | X | | | | | | | | | X | |

BLM Administrative Units (FO=Field Office; NCA= National Conservation Area; Nat. Mon= National Monument):

Boise District

BP = Birds of Prey NCA
BR = Bruneau FO
FR = Four Rivers FO
OW = Owyhee FO

Coeur d'Alene District

CA = Coeur d' Alene FO
CO = Cottonwood FO

Idaho Falls District

CH = Challis FO
PO = Pocatello FO
SA = Salmon FO
US = Upper Snake FO

Twin Falls District

BU = Burley FO
CM = Craters of the Moon Nat. Mon.
JA = Jarbidge FO
SH = Shoshone FO

References and Information Sources:

6840 – U.S. BLM Special Status Species Management Manual (12/12/2008)

.2 Administration of Bureau Sensitive Species. This section establishes procedures for the management of species designated as BLM sensitive, and their habitat. It is in the interest of the BLM to undertake conservation actions for such species before listing is warranted. It is also in the interest of the public for the BLM to undertake conservation actions that improve the status of such species so that their Bureau sensitive recognition is no longer warranted. By doing so, the BLM will have greater flexibility in managing the public lands to accomplish native species conservation objectives and other legal mandates. When administering the Bureau sensitive species program, all information shall conform to the standards and guidelines established under the Information Quality Act.

In compliance with existing laws, including the BLM multiple use mission as specified in the FLPMA, the BLM shall designate Bureau sensitive species and implement measures to conserve these species and their habitats, including ESA proposed critical habitat, to promote their conservation and reduce the likelihood and need for such species to be listed pursuant to the ESA. Any obligation to conserve proposed critical habitat under this section is terminated at the time the proposal becomes final or the habitat is no longer proposed for listing. All federally designated candidate species, proposed species, and delisted species in the 5 years following their delisting shall be conserved as Bureau sensitive species.

A. Designation of Bureau Sensitive Species. State Directors shall designate species within their respective States as Bureau sensitive by using the following criteria. For species inhabiting multiple States, State Directors shall coordinate with one another in the designation of Bureau sensitive species so that species status is consistent across the species' range on BLM-administered lands, where appropriate. Species designated as Bureau sensitive must be native species

found on BLM-administered lands for which the BLM has the capability to significantly affect the conservation status of the species through management, and either:

1. There is information that a species has recently undergone, is undergoing, or is predicted to undergo a downward trend such that the viability of the species or a distinct population segment of the species is at risk across all or a significant portion of the species range, or
2. The species depends on ecological refugia or specialized or unique habitats on BLM-administered lands, and there is evidence that such areas are threatened with alteration such that the continued viability of the species in that area would be at risk.

Bat Conservation International. <http://www.batcon.org/index.php/all-about-bats/species-profiles.html>

Birds of North America. <http://bna.birds.cornell.edu/bna>

Breeding Bird Survey (BBS). <https://www.pwrc.usgs.gov/BBS/index.cfm?CFID=2569436&CFTOKEN=8ec9ca82fd691c9c-FEF6EBBD-D317-EFCD-E700346CA4D486BF>

BLM-Montana. Special Status Species List 2014

BLM-Nevada. Special Status Species List 2011

BLM-Oregon/Washington. Special Status Species List 2011

BLM-Utah. Special Status Species List 2010

BLM-Wyoming. Special Status Species List 2010

Forest Service. Intermountain Region (R4) Threatened, Endangered, Proposed, and Sensitive Species list

Idaho Department of Fish and Wildlife (IDFG). <https://fishandgame.idaho.gov/ifwis/cwcs/appendixf.htm> and

<https://fishandgame.idaho.gov/ifwis/portal/>

Partners in Flight (PIF). <http://rmbo.org/pifdb/>

NatureServe. <http://explorer.natureserve.org/>

United States Fish and Wildlife Service Region 1. <http://www.fws.gov/pacific/>

Utah Division of Wildlife Resources. <http://dwr.cdc.nr.utah.gov/ucdc/>