

NATIVE PLANT SEED COLLECTION PRICING TABLE

Note: Prices listed in Vendor prices for **Fall/Winter 2012-2013** based on 10% of retail Price Per Pound BLM paid in the recent National seed buys *

Common Name	TSIS	Scientific Name	Ecoregion/ Location	Fall/Winter (\$) *		BLM Charge rate (\$)
				Buy 2/Ave	Buy 3/Ave	
SHRUBS						
Big sagebrush, basin		<i>Artemisia tridentata tridentata</i>		\$ 1.05	\$ 2.12	0.159
Big sagebrush, mountain		<i>Artemisia tridentata vaseyana</i>		\$ 1.45	\$ 2.95	0.220
Big sagebrush, Wyoming		<i>Artemisia tridentata wyomingensis</i>		\$ 1.06	\$ 2.55	0.181
Bitterbrush, antelope		<i>Purshia tridentata</i>		\$ 1.65	\$ 1.48	0.157
Bitterbrush, desert		<i>Purshia glandulosa</i>		\$ 1.95	\$ 1.70	0.183
Blackbrush		<i>Coleogyne ramossisima</i>		\$ 2.50		0.250
Brittlebush, Virgin River		<i>Encelia virginensis</i>		\$ 0.90		0.090
Bursage, white		<i>Ambrosia dumosa</i>		\$ 2.90		0.290
Cheesebush		<i>Hymenoclea salsola</i>		\$ 2.50		0.250
Cliffrose		<i>Cowania stansburiana</i>		\$ 2.50		0.250
Creosote bush		<i>Larrea tridentata</i>		\$ 3.00		0.300
Ephedra, green		<i>Ephedra viridus</i>		\$ 2.00		0.200
Ephedra, Nevada		<i>Ephedra nevadensis</i>		\$ 2.00		0.200
Mountain mahogany, birchleaf		<i>Cercocarpus betulifolia</i>		\$ 3.00		0.300
Mountain mahogany, curlleaf		<i>Cercocarpus ledifolius</i>		\$ 2.80	\$ 2.50	0.265
Mountain mahogany, true		<i>Cercocarpus montanus</i>		\$ 3.00	\$ 3.00	0.300
Quailbush		<i>Atriplex lentiformis</i>		\$ 1.25		0.125
Rabbitbrush, rubber		<i>Ericameria nauseosa</i>		\$ 1.15	\$ 0.95	0.105
Rabbitbrush, whitestem		<i>Ericameria nauseosa ssp. hololeuca</i>		\$ 1.10		0.110
Sagebrush, black		<i>Artemisia nova</i>		\$ 1.75	\$ 1.95	0.185
Sagebrush, low		<i>Artemisia arbuscula</i>		\$ 1.80	\$ 1.75	0.178
Saltbush, cattle		<i>Atriplex polycarpa</i>		\$ 1.00		0.100
Saltbush, fourwing		<i>Atriplex canescens</i>		\$ 0.69	\$ 0.60	0.065
Shadescale		<i>Atriplex confertifolia</i>		\$ 0.45	\$ 0.50	0.048
Winterfat		<i>Kraschenninikovia lanata</i>		\$ 1.20	\$ 1.00	0.110
Spiny hopsage		<i>Grayia spinosa</i>		\$ 3.50		0.350

Common Name	TSIS	Scientific Name	Ecoregion/ Location	Fall/Winter (\$) *	BLM Charge rate (\$)
FORBS					
Aster/Fleabane		<i>Aster or Erigeron sp.</i>		\$ 2.50	0.250
Balsamroot, Hairy		<i>Balsamorhiza hirsuta</i>		\$ 3.50	0.350
Balsamroot, Arrowleaf		<i>Balsamorhiza sagittata</i>		\$ 3.30	0.330
Balsamroot, Hooker's		<i>Balsamorhiza hookeri</i>		\$ 3.49	0.349
Balsamroot, toothed		<i>Balsamorhiza serrata</i>		\$ 3.50	0.350
Blanketflower		<i>Gaillardia aristata</i>		\$ 1.10	0.110
Desert dandelion		<i>Malacothrix glabrata</i>		\$ 2.50	0.250
Desert marigold		<i>Baileya multiradiata</i>		\$ 1.95	0.195
Desert-parsley (and others)		<i>Lomatium dissectum</i>		\$ 12.00	1.200
Evening-primrose		<i>Oenothera sp.</i>		\$ 6.00	0.600
Globemallow, desert		<i>Sphaeralcea ambigua</i>		\$ 3.50	0.350
Globemallow, gooseberryleaf		<i>Sphaeralcea grossulariifolia</i>		\$ 4.00 \$ 4.60	0.430
Globemallow, Munro's		<i>Sphaeralcea munroana</i>		\$ 5.49	0.549
Globemallow, scarlet		<i>Sphaeralcea coccinea</i>		\$ 6.05	0.605
Globemallow, small-flowered		<i>Sphaeralcea parvifolia</i>		\$ 4.00	0.400
Lewis' flax		<i>Linum lewisii</i>		\$ 1.70 \$ 1.80	0.175
Silvery lupine		<i>Lupinus argenteus</i>		\$ 2.00 \$ 0.85	0.143
Woolly lupine		<i>Lupinus sericeus</i>		\$ 2.25	0.225
Mexican red hat		<i>Ratibida columnaris</i>		\$ 2.00	0.200
Milkvetch		<i>Astragalus sp.</i>		\$ 2.75 \$ 2.50	0.263
Blue penstemon		<i>Penstemon cyaneus</i>		\$ 3.00 \$ 6.50	0.475
Firecracker penstemon		<i>Penstemon eatonii</i>		\$ 6.20	0.620
Palmer's penstemon		<i>Penstemon palmeri</i>		\$ 1.44 \$ 1.82	0.163
Sagebrush penstemon		<i>Penstemon speciosa</i>		\$ 4.00 \$ 3.50	0.375
Thickleaf penstemon		<i>Penstemon pachyphyllus</i>		\$ 1.60 \$ 1.20	0.140
Prairieclover, western		<i>Dalea ornata</i>		\$ 6.62	0.662
Sweetvetch, northern		<i>Hedysarum borealus</i>		\$ 2.50 \$ 2.00	0.225
Tapertip hawksbeard		<i>Crepis acuminata</i>		\$ 6.90	0.690
Yarrow, western		<i>Achillea millefolium occidentalis</i>		\$ 2.60 \$ 2.80	0.270
Beeplant, yellow		<i>Cleome lutea</i>		\$ 6.00	0.600
Beeplant, Rocky Mtn		<i>Cleome serrulata</i>		\$ 1.98	0.198
Sunflower, annual		<i>Helianthus anuum</i>		\$ 0.95	0.095

Common Name	TSIS	Scientific Name	Ecoregion/ Location	Fall/Winter (\$) *	BLM Charge rate (\$)
GRASSES					
Bluegrass, Sandberg's		<i>Poa secunda</i>		\$ 0.98 \$ 1.29	0.114
Bottlebrush squirreltail		<i>Elymus elymoides</i>		\$ 2.90 \$ 2.10	0.250
Dropseed, sand		<i>Sporobolus cryptandrus</i>		\$ 0.90 \$ 0.60	0.075
Galleta grass		<i>Hilaria jamesii</i>		\$ 1.90 \$ 2.30	0.210
Blue grama		<i>Bouteloua gracilis</i>		\$ 2.90 \$ 2.30	0.260
Needle & thread		<i>Hesperostipa comata</i>		\$ 2.50 \$ 2.80	0.265
Needlegrass, desert		<i>Acnatherum speciosum</i>		\$ 2.75	0.275
Needlegrass, Thurber's		<i>Acnatherum thurberianum</i>		\$ 3.00	0.300
Ricegrass, Indian		<i>Acnatherum hymenoides</i>		\$ 2.25	0.225
Three-awn, purple		<i>Aristida purpurea</i>		\$ 2.00 \$ 2.25	0.213
Wheatgrass, bluebunch		<i>Pseudoroegneria spicata</i>		\$ 2.00	0.200
Wheatgrass, western		<i>Pascopyrum smithii</i>		\$ 2.00	0.200
Wildrye, basin		<i>Leymus cinereus</i>		\$ 1.75	0.175
Wildrye, creeping		<i>Leymus triticoides</i>		\$ 1.75	0.175
		Species listed in TSIS			